

Mirko Lepović defended his doctoral theses 1991, under the name "Solving some hereditary problems in the Spectral theory of graphs", at Belgrade University. Since 1993 he has worked at Univeristy of Kragujevac (Department of Mathematics). His main areas of research are in graph theory, linear algebra and combinatorics. He has also interested in computer programming.

REFERENCES

- [1] M. Lepović, *Characterization of normal digraphs with 6 and 7 vertices*, Graph Theory, Proc. Eighth Yug. Sem. Graph Theory, Novi Sad, April 17–18, 1987, Mat. Inst. Fac. Sci. Novi Sad, (1989), 90–98.
- [2] M. Lepović, *Maximal canonical graphs with 6 nonzero eigenvalues*, Glasnik Matem. 25 (45) (1990), 21–24.
- [3] M. Lepović, *Certain results on normal digraphs*, Radovi Matematički, ANBiH (Sarajevo) 7(1990), 11–15.
- [4] M. Lepović, I. Gutman, M. Petrović and N. Mizoguchi, *Some contributions to the theory of cyclic conjugation*, J. Serb. Chem. Soc. 55(4) (1990), 193–198.
- [5] M. Lepović, *Some results on the reduced energy of graphs I*, Zbornik radova Prir. Mat. Fak. u Novom Sadu (Ser. mat.) 20 (1990), 43–52.
- [6] M. Lepović, *Some results about the reduced energy of graphs, II*, Bull. Serb. Acad. Sci. Arts (Sci. Math.) 104 (1990), 17–27.
- [7] M. Lepović, *Solving some hereditary problems in the Spectral theory of graphs*, doctoral theses, Belgrade (1991), 1-195.
- [8] M. Lepović, *On graphs whose energy does not exceed 4*, Publ. Inst. Math. (Beograd) 49(63) (1991), 6–16.
- [9] M. Lepović, *Some results on the reduced energy of graphs, III*, Univ. Beograd Publ. Elektro-tehn. Fak. (Ser. Mat.) 2 (1991), 82–88.
- [10] M. Petrović, I. Gutman and M. Lepović, *Graphs with three independent edges*, Zbornik Radova Prir.-Matem. Fak. u Kragujevcu 12 (1991), 25–38.
- [11] M. Lepović, I. Gutman and M. Petrović, *A conjecture in the theory of cyclic conjugation and an example supporting its validity*, Commun. Math. Chem. (MATCH) 28 (1992), 219–234.
- [12] M. Lepović, *The strongly asymmetric graphs of order 6 and 7*, Publ. Inst. Math. (Beograd) 54 (68) (1993), 25–28.
- [13] M. Lepović, *The strongly asymmetric graphs of order 8*, Zbornik Radova PMF u Kragujevcu 14 (1993), 41–43.
- [14] M. Lepović, *Some kinds of energies of graphs*, Discrete Math. 128 (1994), 277–282.
- [15] M. Petrović, I. Gutman and M. Lepović, *Graphs with small numbers of independent edges*, Discrete Math. 126 (1994), 239–244.
- [16] M. Lepović, *On strongly asymmetric graphs*, Discrete Math. 145 (1995), 315–320.
- [17] M. Lepović, *The asymmetric graphs of order 8 which are not strongly asymmetric*, Zbornik Radova PMF u Kragujevcu 17 (1995), 69–76.
- [18] M. Lepović, *Some results on normal digraphs*, Indian J. Pure Appl. Math. 28 (3) (1997), 329–334.
- [19] D. Cvetković and M. Lepović, *Cospectral graphs with the same angles and with a minimal number of vertices*, Univ. Beograd Publ. Elektro-tehn. Fak., Ser. Mat. 8 (1997), 88–102.
- [20] I. Gutman and M. Lepović, *A collective property of trees and chemical trees*, J. Chem. Inf. Comput. Sci 38 (1998), 823–826.
- [21] M. Lepović, *On formal products and spectra of graphs*, Discrete Math., 188 (1998), 137–149.
- [22] M. Lepović, *On formal products and the Seidel spectrum of graphs*, Publ. Inst. Math., (Beograd), 63 (77) (1998), 37–46.
- [23] M. Lepović, *Application of formal products on some compound graphs*, Bull. Serb. Acad. Sci. Arts (Sci. Math.), 23 (1998), 33–44.
- [24] D. Cvetković and M. Lepović, *Seeking counterexamples to the reconstruction conjecture for the characteristic polynomial of graphs and a positive result*, Bull. Serb. Acad. Sci. Arts (Sci. Math.), 23 (1998), 91–100.
- [25] M. Lepović, *Some statistical data on graphs with 10 vertices*, Univ. Beograd Publ. Elektro-tehn. Fak. (Ser. Mat.) 9 (1998), 79–88.
- [26] D. Cvetković, M. Lepović, P. Rowlinson and S. Simić, *A data base of star complements of graphs*, Univ. Beograd Publ. Elektro-tehn. Fak., (Ser. Mat.) 9 (1998), 103–112.

- [27] M. Lepović, *On formal products and generalized adjacency matrices*, Bull. Serb. Acad. Sci. Arts (Sci. Math.) 24 (1999), 51–66.
- [28] K. Balinska, D. Cvetković, M. Lepović and S. Simić, *There are exactly 150 connected integral graphs up to 10 vertices*, Univ. Beograd Publ. Elektothn. Fak., Ser. Mat. 10 (1999), 95–105.
- [29] I. Gutman, V. Gineityte, M. Lepović and M. Petrović, *The high-energy band in the photoelectron spectrum of alkanes and its dependence on molecular structure*, J. Serb. Chem. Soc. 64 (11) (1999), 673–680.
- [30] M. Lepović, *On Canonical graphs and eigenvectors of graphs*, Zbornik Radova PMF-a u Kragujevcu 21 (1999), 75–85.
- [31] M. Lepović, *On spectral complementary graphs*, Novi Sad J. Math., Vol. 30, No. 3 (2000), 83–91.
- [32] M. Lepović, I. Gutman and M. Petrović, *On canonical graphs and the Laplacian characteristic polynomial*, Univ. Beograd Publ. Elektro-tehn. Fak., (Ser. Mat.), 11 (2000), 93–99.
- [33] M. Lepović, *On eigenvalues and main eigenvalues of a graph*, Math. Moravica 4 (2000), 51–58.
- [34] I. Gutman and M. Lepović, *Choosing the exponent in the definition of the connectivity index*, J. Serb. Chem. Soc. 66 (9) (2001), 605–611.
- [35] M. Lepović, *Some results on graphs with exactly two main eigenvalues*, Univ. Beograd Publ. Elektro-tehn. Fak., (Ser. Mat.), 12 (2001), 68–84.
- [36] D. Cvetković, M. Lepović, P. Rowlinson and S. Simić, *Computer investigations of the maximal exceptional graphs*, Department of Computing Science and Mathematics, University of Stirling, Scotland, Technical Report CSM-160, Stirling, 2001.
- [37] M. Lepović, *On formal products and angle matrices of a graph*, Discrete Mathematics, 243 (2002), 151–160.
- [38] M. Lepović and I. Gutman, *No starlike trees are cospectral*, Discrete Mathematics 242 (2002), 291–295.
- [39] D. Cvetković, M. Lepović, P. Rowlinson and S. Simić, *The maximal exceptional graphs*, J. Combinatorial Theory, Ser. B 86 (2002), 347–363.
- [40] I. Gutman, M. Lepović, D. Vidović and L. H. Clark, *Exponent-dependent properties of the connectivity index*, Indian Journal of Chemistry, Vol. 41A (2002), pp. 457–461.
- [41] M. Petrović, I. Gutman, M. Lepović and B. Borovičanin, *On bipartite graphs with a small number Laplacian eigenvalues greater than two and three vertices*, Linear and Multi-linear Algebra, Vol. 47 (2002), pp. 205–215.
- [42] M. Lepović and I. Gutman, *Some spectral properties of starlike trees*, Bull. Serb. Acad. Sci. Arts (Sci. Math.), (2002).
- [43] M. Lepović, *A note on graphs with two main eigenvalues*, Kragujevac J. Math. 24 (2002), 101–110.
- [44] M. Lepović, *Some results on starlike trees and sunlike graphs*, J. Appl. Math. and Computing Vol. 11 (2003), No. 1–2, pp. 109–123.
- [45] M. Lepović, *On integral graphs which belong to the class $\overline{\alpha K_{a,b}}$* , Graphs and Combinatorics 19(2003), 527–532.
- [46] M. Lepović, *On the Seidel eigenvectors of a graph*, Univ. Beograd Publ. Elektro-tehn. Fak., (Ser. Mat.) 14 (2003), 4–10.
- [47] M. Lepović, *Some classes of integral graphs which belong to the class $\overline{\alpha K_a \cup \beta K_{b,b}}$* , Publ. Inst. Math. (Beograd) 74 (88) (2003), 25–36.
- [48] M. Lepović, *On integral graphs which belong to the class $\overline{\alpha K_a \cup \beta K_b}$* , J. Appl. Math. and Computing Vol. 14 (2004), No. 1 – 2, pp. 39–49.
- [49] M. Lepović, *On integral graphs which belong to the class $\overline{\alpha K_a \cup \beta K_{b,b}}$* , Discrete Mathematics 285 (2004), 183–190.
- [50] D. Cvetković and M. Lepović, *Sets of cospectral graphs with least eigenvalue -2 and some related results*, Bull. Acad. Serbe Sci. Arts, Cl. Sci. Math. Natur., Sci. Math. 129 (2004), No. 29, 85–102.
- [51] K. Balinska, M. Lepović and S. Simić, *There are 93 non-regular, bipartite integral graphs with maximum degree four*, The Technical University of Poznan, CSC Report No. 511, Poznan, 2005.
- [52] D. Cvetković and M. Lepović, *Cospectral graphs with least eigenvalue at least -2* , Publ. Inst. Math. (Beograd), 78(92)(2005), 51–63.
- [53] D. Cvetković and M. Lepović, *Towards an algebra of SINGS*, Univ. Beograd, Publ. Elektotehn. Fak., Ser. Mat., 16(2005), 110–118.
- [54] M. Lepović, *On integral graphs which belong to the class $\overline{\alpha K_{a,a} \cup \beta K_{b,b}}$* , J. Appl. Math. and Computing, Vol. 20 (2006), No. 1-2, pp. 61–74.
- [55] M. Lepović, *On integral graphs which belong to the class $\overline{\alpha K_{a,a,\dots,a,b,b,\dots,b}}$* , Univ. Beograd, Publ. Elektrotehn. Fak., Ser. Mat. 17(2006), 52–59.
- [56] M. Lepović, *On conjugate adjacency matrices of a graph*, Discrete Math., 307(2007), 730–738.
- [57] M. Lepović, *The conjugate formal product of a graph*, Applicable Analysis and Discrete Mathematics, 1 (2007), 427–437.
- [58] D. Cvetković and M. Lepović, *A table of cospectral graphs with least eigenvalue at least -2* , <http://www.mi.sanu.ac.yu/projects/results1389.htm>.

- [59] M. Lepović, *On conjugate characteristic polynomial of a graph*, Publications, J. Appl. Math. and Comput. (2008), 28, 473-483.
- [60] M. Lepović, *Some results on walk regular and strongly regular graphs*, New Zealand Journal of Mathematics, 38(2009), 161-169.
- [61] M. Lepović, *Some characterizations of strongly regular graphs*, J. Appl. Math. and Comput., 29(2009), 373-381.
- [62] M. Lepović, *On strongly regular graphs of order $6(2p+1)$ where $2p+1$ is a prime number*, Vietnam Journal of Mathematics, 38:2(2009), 169-187.
- [63] M. Lepović, *Some results on walk regular graphs which are cospectral to its complement*, Tokyo J. Math., Vol. 33, No. 1, 2010, 223-234.
- [64] M. Lepović, *Some new results on walk regular graphs which are cospectral to its complement*, Discrete Math., 310(2010), 767-773.
- [65] M. Lepović, *Some characterizations of strongly regular graphs with respect to its vertex deleted subgraphs*, Discrete Math., 310(2010), 1373-1380.
- [66] M. Lepović, *On strongly regular graphs with $|m_2 - m_3| \leq 3$* , Global Journal of Pure and Applied Mathematics, ISSN 0973-1768, Volume 6, Number 2 (2010), pp 125-132.
- [67] M. Lepović, *The conjugate main eigenvalues of vertex deleted subgraphs of a strongly regular graph*, New Zealand Journal of Mathematics, 49 (2010), 67-74.
- [68] M. Lepović, *The conjugate characteristic polynomial of some compound graphs*, International Journal of Mathematics and Computing, 87(12), (2010), pp. 2644-2652 DOI: 10.1080/00207160302990253
- [69] M. Lepović, *On strongly regular graphs of order $5(2p+1)$ where $2p+1$ is a prime number*, Applied Mathematics and Computational Sciences, Volume 1, Issue 1, (2010), Pages 1-33.
- [70] M. Lepović *On strongly regular graphs with $m_2 = qm_3$ and $m_3 = qm_2$* , Serdica Math. J. 37(2011), 353-364.