

# A note on Meir-Keeler theorem in the context of $b$ -metric spaces

Mirjana Pavlović<sup>1</sup> and Stojan Radenović<sup>2</sup>

<sup>1</sup>Department of Mathematics and Informatics, Faculty of Science, University of Kragujevac,  
mpavlovic@kg.ac.rs

<sup>2</sup>Department of Mathematics, Faculty of Mechanical Engineering, University of Belgrade,  
radens@beotel.rs

We consider the famous Meir-Keeler's theorem in the context of  $b$ -metric spaces. Our result generalizes several known results in existing literature.

## References

- [1] I. A. Bakhtin, The contraction principle in quasimetric spaces, *Functional Analysis* **30** (1989), 26–37.
- [2] S. Chandok, M. Jovanović and S. Radenović, Ordered  $b$ -metric spaces and Geraghty type contractive mappings, *Vojnotehnički Glasnik/Military Technical Courier* **65**(2) (2017), 331–345.
- [3] Lj. Ćirić, *Fixed Point Theory: Contraction Mapping Principle*, Faculty of Mechanical Engineering, Beograd, 2003.
- [4] S. Czerwik, Contraction mappings in  $b$ -metric spaces, *Acta Mathematica et Informatica Universitatis Ostraviensis* **1** (1993), 5–11.
- [5] T. Došenović, M. Pavlović and S. Radenović, Contractive conditions in  $b$ -metric spaces, *Vojnotehnički Glasnik/Military Technical Courier* **65**(4) (2017), 851–865.
- [6] A. K. Dubey, R. Shukla, R. P. Dubey, Some fixed point results in  $b$ -metric spaces, *Asian J. Math. Appl.* (2014), Article ID ama0147.
- [7] H. Faraji and K. Nourouzi, A generalization of Kannan and Chatterjea fixed point theorem on complete  $b$ -metric spaces, *Sahand Communications in Mathematical Analysis (SCMA)* **6**(1) (2017), 77–86.

- [8] M. Jovanović, Z. Kadelburg and S. Radenović, Common fixed point results in metric-type spaces, *Fixed Point Theory Appl.* **2010** (2010), Article ID 978121, 15 pages.
- [9] M. Jovanović, Contribution to the theory of abstract metric spaces, Doctoral Dissertation, Belgrade, 2016.
- [10] M. Kir and H. Kizitune, On some well known fixed point theorems in  $b$ -metric spaces, *Turkish Journal of Analysis and Number Theory* **1** (2013), 13–16.
- [11] W. Kirk and N. Shahzad, *Fixed Point Theory in Distance Spaces*, Springer International Publishing Switzerland, 2014.
- [12] R. Koleva and B. Zlatanov, On fixed points for Chatterjea’s maps in  $b$ -metric spaces, *Turkish Journal of Analysis and Number Theory* **4(2)** (2016), 31–34.
- [13] A. Meir and E. Keeler, A theorem on contraction mappings, *J. Math. Anal. Appl.* **28** (1969), 326–329.
- [14] R. Miculescu and A. Mihail, New fixed point theorems for set-valued contractions in  $b$ -metric spaces, *J. Fixed Point Theory Appl.* DOI 10.1007/s11784-016-0400-2.
- [15] P. K. Mishra, S. Sachdeva and S. K. Banerjee, Some fixed point theorems in  $b$ -metric space, *Turkish Journal of Analysis and Number Theory* **2** (2014), 19–22.
- [16] C. Chifu and G. Petrusel, Fixed point results for multivalued Hardy-Rogers contractions in  $b$ -metric spaces, *Filomat* **31(8)** (2017), 2499–2507.
- [17] S. L. Singh, S. Czerwik, K. Krol and A. Singh, Coincidences and fixed points of hybrid contractions, *Tamsui Oxf. J. Inf. Math. Sci.* **24** (2008), 401–416.
- [18] T. Suzuki, Basic inequality on a  $b$ -metric space and its applications, *J. Inequal. Appl.* **2017(256)** (2017).
- [19] K. Zare and R. Arab, Common fixed point results for infinite families in partially ordered  $b$ -metric spaces and applications, *Electron. J. Math. Anal. Appl.* **4(2)** (2016), 56–67.